



Version: 20. Jul 2016

Interferenzfarben Glas Serie "W"







Seite:

1/1

Einbrenntemperatur: 580°- 620° C

Anwendungsbereiche:

Hohlglas, Beleuchtungsglas, Flaschen, Kosmetikpackaging

| Bezeichnung | Type No. | Pantone No. | Farbe |
|----------------------|-----------------|--------------------|--|
| Interference-Lila | F 8080 | 10124 U |  |
| Interference-Grün | F 8081 | 10298 U |  |
| Interference-Küpferr | F 8082 | 10154 U |  |
| Interference-Blau | F 8083 | 10245 U |  |
| Interference-Rosa | F 8084 | 10160 U |  |
| Interference-Gold | F 8085 | 10121 U |  |

The appearance and intensity of Interference Colors depends strongly from the color shade of the decorated surface. On dark surface (black) they show a high intensity, on white surface they have a very weak effect.

Please Note:

The information in this leaflet are based on our current knowledge and experience. This description does not release the users from examinations and tests of their own because of uncountable possible influences, when using and applying the products in connection with every other material being involved in the production. It can not be deduced a legally obliged assurance for specific characteristics or for the aptitude of a definite usage purpose. The receiver of our products has to observe by his own responsibility probable protecting rights as well as existing laws, rules and regulations.

CRG Srl
Via Monte Bianco 81
41042 Fiorano Modenese
(MO) ITALY
Tel.: +39 0536 845220